



Our motto is that there is always room for improvement! So we never stop evolving and this is why you can enjoy the brand new V-PRO plus!

The key points are:

- Increased vision in comparison to our previous V-Pro Design.
- Atorical optimization offered as standard.
- Up to 10 % thinner and lighter in comparison to conventional products.
- Synchronization of the visual zones.
- Very good image quality due to the high base curve diverse selection.
- Perfectly balanced to achieve a better overall quality for both indoor and outdoor use.

Progressive Lenses

V-PRO Plus 1.74 - 1.67

V-PRO Plus Organic 1.74 Transitions® VII

V-PRO Plus Organic 1.74



Optimized Freeform progressive lens

Transitions® VII: brown 10-85% | grey 10-88% UV ≤400 nm

white: UV-protection ≤380 nm

Ø mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+6.0	-10.0	6.0
≤ 65 /70	+8.0	-10.0	6.0

Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

ne	V		
1,737	32,5	1,47 g/cm ³	UV-protection

V-PRO Plus Organic 1.67 Transitions® VII Xtractive

Optimized Freeform progressive lens

Transitions VII® Xtractive: grey/brown 15-90% | UV ≤ 400 nm

Ø mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+5.0	-10.0	6.0
≤ 65/70	+5.0	-10.0	6.0

Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

ne	V				
1,668	31,4	1,37g/cm ³	UV-protection	Nylor ✓	Drill ✓

V-PRO Plus Organic 1.67 Transitions® VII

V-PRO Plus Organic 1.67 Suntouch®

V-PRO Plus Organic 1.67

Optimized Freeform progressive lens

Transitions® VII: brown 10-85% | grey 10-88% UV ≤400 nm

white: UV-protection ≤ 380 nm

Ø mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+6.0	-10.0	6.0
≤ 65 /70	+8.0	-10.0	6.0

Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

ne	V				
1,668	31,4	1,37g/cm ³	UV-protection	Nylor ✓	Drill ✓

V-PRO Plus Organic 1.67 NuPolar®

Optimized Freeform progressive lens

NuPolar®: brown-grey 85% & green | Polarization 99% | UV ≤ 400nm

Ø mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+5.50	-10.0	6.0
≤ 65/70	+5.50	-10.0	6.0

Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

ne	V				
1,668	31,4	1,37g/cm ³	UV-protection	Nylor ✓	Drill ✓

For all freeform progressive lenses and for all dioptries out of above ranges, please contact us!

Progressive Lenses

V-PRO Plus 1.6 - 1.56

V-PRO Plus Organic 1.6 Transitions® VII Xtractive

V-PRO Plus Organic 1.6 Transitions® VII

V-PRO Plus Organic 1.6

Optimized Freeform progressive lens

Transitions® VII Xtractive: grey/brown 15-90% UV ≤ 400 nm

Transitions® VII: brown 10-85% | grey 10-88% UV ≤ 400 nm

white: UV-protection ≤ 380 nm

Ø mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+6.0	-10.0	4.0
≤ 65/70	+8.0	-10.0	4.0

Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

ne	V				
1,597	40,5	1,30g/cm ³	UV-protection	Nylor ✓	Drill ✓

V-PRO Plus Organic 1.60 NuPolar®

Optimized Freeform progressive lens

NuPolar®: brown & grey/green 85% | Polarization 99% | UV ≤ 400nm

Ø mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+5.50	-8.0	4.0
≤ 65 /70	+5.50	-8.0	4.0

Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

ne	V				
1,597	40,5	1,30g/cm ³	UV-protection	Nylor ✓	Drill ✓

V-PRO Plus Organic 1.6 PowerMax®

Optimized Freeform progressive lens

white: UV-protection ≤ 380 nm

Ø mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+6.0	-8.0	4.0
≤ 65/70	+6.0	-8.0	4.0

Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

ne	V				
1,600	48,0	1,15g/cm ³	UV-protection	Nylor ✓	Drill ✓



V-PRO Plus Organic 1.6 Suntouch®

V-PRO Plus Organic 1.56 Suntouch®

Optimized Freeform progressive lens

Suntouch: brown 10-85% | grey 10-85%

Ø mm	Delivery range		Cyl.
70/75	+6.0	-8.0	4.0
≤ 65 /70	+6.0	-8.0	4.0

Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

ne	V		
1,560	43,0	1,14 g/cm ³	UV-protection

For all freeform progressive lenses and for all dioptries out of above ranges, please contact us!



Natural Vision is an attitude!

Progressive Lenses

V-PRO Plus 1.56 - 1.53 - 1.5



V-PRO Plus Organic 1.56 Orange Grey Sport

Optimized Freeform progressive lens

Orange Grey: grey 10-85%

Ø mm	Delivery range		Cyl.
≤65-70	+4.0	-5.0	4.0

Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

n_e	V		
1,560	43,0	1,14 g/cm ³	UV-protection

V-PRO Plus Organic 1.5 NuPolar®

V-PRO Plus Organic 1.5 Infinite Grey®



Optimized Freeform progressive lens

NuPolar®: brown/grey/green/G-15 85% | Polarization 99%

UV ≤400 nm

Ø mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+5.50	-8.0	4.0
≤ 65 /70	+5.50	-8.0	4.0

Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

n_e	V		
1,502	58,0	1,29 g/cm ³	UV-protection

V-PRO Plus Organic 1.53 Trivex NuPolar®

V-PRO Plus Organic 1.53 Trivex Transitions®

V-PRO Plus Organic 1.53 Trivex®

Optimized Freeform progressive lens

Transitions® VI: brown/green 10-85% | grey 10-88% UV ≤ 400 nm

white: UV-protection ≤ 400 nm



Ø mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+5.50	-8.0	4.0
≤ 65 /70	+5.50	-8.0	4.0



Progression	Addition	Min. fitting height
Regular (14 mm)	0.75 - 3.50	19 mm
Medium (12 mm)	0.75 - 3.50	17 mm
Short (10 mm)	0.75 - 3.50	15 mm

n_e	V				
1,530	45,0	1,11g/cm ³	UV-protection	Nylon ✓	Drill ✓



For all freeform progressive lenses and for all dioptries out of above ranges, please contact us!

V-PRO Plus Organic 1.5 Transitions® VII Xtractive			
V-PRO Plus Organic 1.5 Transitions® VII Graphite Green			
V-PRO Plus Organic 1.5 Transitions® VII			
V-PRO Plus Organic 1.5			
Optimized Freeform progressive lens			
Transitions® VII Xtractive: grey/brown 15-90% UV ≤400 nm			
Transitions® VII: brown 10-85% grey 10-88% UV ≤400 nm			
white: UV-protection ≤380 nm			
∅ mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+6.0	-8.0	4.0
≤ 65/70	+8.0	-8.0	4.0
Progression	Addition	Min. fitting height	
Regular (14 mm)	0.75 - 3.50	19 mm	
Medium (12 mm)	0.75 - 3.50	17 mm	
Short (10 mm)	0.75 - 3.50	15 mm	
n _e	V		
1,502	58,2	1,32 g/cm ³	UV-protection

V-PRO Plus Organic 1.5 Vantage®			
V-PRO Plus Organic 1.5 DriveWear®			
Optimized Polarized Photochromic			
Freeform progressive lens			
DriveWear®: brown 68-88% UV ≤400 nm			
∅ mm	Delivery range		Cyl.
75/80	+4.0	-4.0	4.0
70/75	+4.0	-6.0	4.0
≤ 65/70	+4.0	-6.0	4.0
Progression	Addition	Min. fitting height	
Regular (14 mm)	0.75 - 3.50	19 mm	
Medium (12 mm)	0.75 - 3.50	17 mm	
Short (10 mm)	0.75 - 3.50	15 mm	
n _e	V		
1,501	57,0	1,29 g/cm ³	UV-protection



For all freeform progressive lenses and for all dioptries out of above ranges, please contact us!

